

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5543	pump same casing same outlet same rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:18
L2	1003	1 and impeller and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:18
L3	56	2 and adjust and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:26
L4	310	2 and (outlet same turn)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:26
L5	289	4 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:26
L6	110	5 and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 08:26
L7	1524	pump same outlet same index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/19 10:15
L8	43	7 and centrifugal and impeller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/19 10:16

S1	657	(415/126).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/18 14:28
S2	12	("1118739"   "3234885"   "4930982"   "5131821"   "5205725"   "5714814"   "D328305"   "D340458"   "D340726"   "D352295").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:25
S3	399	wang.in. and pump and outlet and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 16:41
S4	17	S3 and (outlet same adjustable)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:28
S5	19131	(pump or fan or blower)same outlet same adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 16:41
S6	6525	S5 and angle	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:29
S7	4505	S6 and (housing or casing)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:30
S8	220	S7 and swivel	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:35
S9	11837	(pump or fan or blower)and (housing or casing) and inlet and (outlet with adjust\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:37
S10	477	S9 and (outlet same turn same angle)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:37
S11	0	S10 and (ajust same lock)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:37
S12	129	S10 and lock	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:42
S13	11820	(pump or blower) same (housing or casing) same (adjust or swivel)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:43
S14	727	S13 and inlet and outlet and impeller	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:43
S15	570	S14 and motor	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:43

S16	267	S15 and angle	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:57
S17	8759	pump same casing same angle	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:57
S18	3386	S17 same outlet	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:58
S19	665	S18 and impeller	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:59
S20	426	S19 and motor	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:59
S21	126	S20 and (adjust or pivot or swivel)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 15:59
S22	7	("1618155"   "4291671"   "4730790"   "5299737"   "5667329"   "6517015").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 16:15
S23	4	("1118739").URPN.	USPAT	OR	ON	2005/07/18 16:20
S24	254	pump same centrifugal same outlet same rotatable	USPAT	OR	ON	2005/07/18 16:38
S25	73	S24 and impeller and casing	USPAT	OR	ON	2005/07/18 16:26
S26	0	(pump and body and water and connector and position and bar). clm.	USPAT	OR	ON	2005/07/18 16:27
S27	35	pump same centrifugal same outlet same (swivel or pivot)	USPAT	OR	ON	2005/07/18 16:38
S28	20371	(pump or fan or blower)same outlet same adjustable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:41
S29	548	S28 and impeller and casing and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:42
S30	279	S29 and centrifugal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:42